

# **SPECIAL BLADES & PRODUCTS**



## BAND KNIVES

### STRAIGHT EDGE



- For cutting soft and fibrous type of material
- It produces a smooth finish without tearing or producing ragged edges

### SCALLOP EDGE



- For cutting same material as wavy edge
- Faster cutting performance, but somewhat rougher finish
- Hardened tooth tip

### WAVY EDGE



- For cutting cellulose sponge, bread, cake, rubber, seals, gaskets, leather, soft aluminum, corrugated stock, buffing wheels

Width x thickness / mm

10 x 0.45 - 0.50

15 x 0.45 - 0.50

20 x 0.45 - 0.50

25 x 0.45 - 0.50

Width x thickness / inches

3/8 x .018 - .020

5/8 x .018 - .020

3/4 x .018 - .020

1 x .018 - .020



## CARBIDE GRIT

Used for extremely hard material that cannot be cut using normal saw blades.

- Standard products
- Special - MOQ may be required

### CARBIDE GRIT - STRAIGHT EDGE



sizes (mm)		sizes (Inches)
12 x 0.60	●	1/2 x .025
19 x 0.80	●	3/4 x .032


- Instead of teeth, this saw blade has carbide grains soldered in place
- Used for extremely hard material that cannot be cut using normal saw blades
- Suitable for glass, fibreglass, titanium and nickel alloys

### CARBIDE GRIT - GULLETED EDGE



sizes (mm)		sizes (Inches)
12 x 0.60	●	1/2 x .025
19 x 0.80	●	3/4 x .035
25 x 0.90	●	1 x .035
32 x 1.10	●	1 1/4 x .042

- Instead of teeth, this saw blade has carbide grains soldered in place
- Used for extremely hard material that cannot be cut using normal saw blades
- Suitable for composites, ceramics, wire, tyres and hardened steels



Can't see what you're looking for?

Contact us to find out about other options and customization possibilities to match your application.

## ACCESSORIES

### TENSION METER

Correct band tension is essential for straight cut and prolonged blade life.



### REFRACTOMETER

Proper concentration of the cooling lubricants is of utmost importance for the cutting result



### TACHOMETER

Digital tachometer showing the band speed in feet/min as well as m/min.




### WAX AND COOLANT

For lubricating the band when cutting aluminum and other materials.



### CBN-GRINDING WHEEL

Grinding wheel suitable for Wood-Mizer and Grindlux grinding machine.



 **Håkansson  
Sågblad AB**

Håkansson Sågblad AB, Box 125, SE-662 23 Åmål, Sweden. Phone: +46 (0)532 61640.  
order@hakansaw.com www.hakansaw.com